

KESSEBÖHMER
by **HÄFELE**



KESSEBÖHMER
CLEVER STORAGE

The name Kesseböhmer stands for innovative solutions and a powerful blend of design, function and quality. Today the Kesseböhmer group is still owned and managed by the current generation of the founding family. Our core competence is in metal processing. We work with wire, flat band and tubing and our products are finished in our in-house electroplating and powder-coating facilities. Strong customer orientation has helped us to achieve and maintain our position as the leading supplier of functional fittings for kitchen units.



**We are a strong partner
for your business.**

We supply elegant, high quality solutions for brilliantly organised kitchen storage. Our solutions help end users to make best use of available space and to streamline work processes. These benefits are strong selling points for kitchens. In addition, kitchen manufacturers and kitchen fitters profit from the simplified assembly and easy adjustment of our pull-outs and other fittings. Many of our products are assembled without tools using snap-on connections. It saves time and ensures that the end result meets the highest standards.

Kesseböhmer has a high level of vertical integration, with all production processes in-house. We also engineer and build key elements of our production machinery and tooling. This strategy cuts development time from a new idea to a quality product:



**Functions that delight. Designs that impress.
Quality that sets standards.**



Contents



ARENA - Fine design perfectly crafted



Pantries - Perfect storage



Corner Cabinets - Easily loaded from the top



Base Cabinets - Good ideas fit in everywhere




MosaiQ - Countless possibilities with noble design



AGENTS - As special as you are



iMove - More storage, easy reachable



CLIMBER - Multifaced and decorative





Welcome to the silent kitchen. ARENA AntiSlip has many advantages. For instance, it provides a pleasant and peaceful kitchen environment. After all, everything it supports is absolutely skid-proof. No collisions, no pattering, no clanking. This AntiSlip coating is even completely invisible. It combines perfectly with SoftStopp, ensuring that cabinet doors close softly and silently. Cutting edge differential sliding rails provide for silently gliding pull outs at the same time.



**Believe what you see,
as you will hear nothing!**

CONVOY Lavido Pull-out pantry



- Material: Steel carrier profile and rail
- Finish: Carrier profile plastic coated white aluminium, RAL 9006, shelf Icewhite / Anthracite
- Version: Full extension with soft closing device, height adjustable, infinitely shelf with own height adjustability
- Load capacity: 130 kg
- Internal carcase depth: Min. 500 mm
- Side panel thickness: 16 or 19 mm

Ice White

Cabinet height (mm)	Cabinet width (mm)	Number of trays	Cat. No.
1,900–2,000mm	500 mm	5	549.62.315
1,900–2,000mm	600 mm	5	549.62.316
Anthracite			
1,900–2,000	450 mm	5	549.63.494
1,900–2,000	500 mm	5	549.63.314
1,900–2,000	600 mm	5	549.63.486

Supplied with

Set components complete with frame, extension runner with SoftStoppPro, top shelves with integrated runner and accessories.



Optional With:

eTouch®

Description	Cat. No.
eTouch convoy lavido with EU-DIN-plug	549.60.998



Dispensa 150 Pull-out pantry



- Material: Steel carrier profile and rail
- Finish: Carrier profile plastic coated white aluminium, RAL 9006, shelf Icewhite
- Version: Full extension with soft closing device, height adjustable, infinitely shelf with own height adjustability
- Load capacity: 130 kg
- Internal carcass depth: Min. 500 mm
- Side panel thickness: 16 or 19 mm

Cabinet height (mm)	Cabinet width (mm)	Number of trays	Cat. No.
1600-2000mm	150 mm	5	546.27.310

Supplied with

Set components complete with runner, frame, front strips, front brackets and trays/baskets, incl. damping system SoftStopp Plus

Set ARENA Style



Colour: All components Silver, trays/gallery bright chrome plated, bottom "Ice White"
Feature: With AntiSlip coating






- Material: Steel
- Finish: Frame Chrome plated/Icewhite
- Version: Centre mounted, full extension with soft closing device, height adjustable
- Load capacity: 70 kg
- Internal carcase depth: Min. 500 mm
- Side panel thickness: 16 or 19 mm
- Also suitable for use at end of a kitchen

Cabinet width	Dimension WxDxH	Number of trays	Cat. No.
400x2000mm	350 x 462 x 106	6	546.57.443

Supplied with

Set components complete with runner, frame, front strips, front brackets and trays/baskets, incl. damping system Soft-Stop Plus






- Material: Steel
- Finish: Frame Chrome plated/Icewhite
- Version: Centre mounted, full extension with soft closing device, height adjustable
- Load capacity: 100 kg
- Internal carcase depth: Min. 500 mm
- Side panel thickness: 16 or 19 mm

Icewhite

Cabinet width / height mm	Dim. of trays mm	Number of trays	Cat. No.
400x2000mm	350 x 462 x 106	6	546.59.533
Anthracite			
300/1900-2200mm	250 x 463 x 106	6	546.54.541
400/1800-2200mm	350 x 462 x 106	6	546.51.433
400/1800 2200mm	350 x 462 x 106	6	546.54.543

Supplied with

Set components complete with runner, frame, front strips, front brackets and trays/baskets, incl. damping system SoftStop Plus






- Material: Steel
- Finish: Frame Chrome plated/Icewhite
- Version: Internal pull-out unit come automatically to the front, with soft closing device
- Load capacity:
Door rack 450/500mm cabinet: 20 kg,
Door rack 600 mm cabinet: 25 kg,
Pull-out rack 450/500mm cabinet: Max. 50 kg,
Pull-out rack 600 mm cabinet: Max. 60 kg
- Internal carcase depth: Min. 500 mm
- Side panel thickness: 16 or 19 mm

Icewhite

Cabinet Dimension	Number of trays	Cat. No.
450 x 1700	6	545.94.612
600 x 1700	6	545.94.552
Anthracite		
450 x 1700	6	545.93.431
500 x 1700	6	545.93.433
600 x 1700	6	545.93.435

Supplied with

Set components complete with runner, pull-out frame, front brackets, trays/baskets and door shelf, incl. damping system SoftStop Plus



LeMans II Pull-out slide corner




- Material: Steel
- Finish: Frame Chrome plated/Icewhite
- Version: Trays extend completely out of the unit, each tray slide independent
- Load capacity: 25 kg/shelf
- Internal carcase depth: Min. 500 mm
- Side panel thickness: 16 or 19 mm

Icewhite


Internal cabinet height (mm)	Version	Number of trays	Cat. No.
Inside cabinet width A = 411–418 mm/door width 450 mm, W = Min. 800 mm			
600–750	Right swivel	2	541.32.620
Fix 1,250		4	541.32.632
600–750	Left swivel	2	541.32.621
Fix 1,250		4	541.32.633
Anthracite			
Inside cabinet width A = 411–418 mm/door width 450 mm, W = Min. 800 mm			
600–750	Right swivel	2	541.29.480
Fix 1,250		4	541.29.482
600–750	Left swivel	2	541.29.481
Fix 1,250		4	541.29.483



reddot design award



Right swivel



Left swivel

Supplied with

Set components complete with mounting and drilling template, incl. self-closing damping system



COMFORT II Base Pull - Out Unit




- Material: Steel
- Finish: Frame Chrome plated/Icewhite
- Version: Side mounted, full extension with perfect running characteristics and high lateral stability, with soft closing device
- Load capacity: 24 kg per set
- Internal carcass depth: Min. 485 mm
- Side panel thickness: 16 or 19 mm mn

Icewhite

Cabinet Width		Dimension WxDxH	Number of trays	Cat No.
300	Right	228 x 470 x 75	2	545.53.762
	Left		2	545.53.763
Anthracite				
300	Right	228 x 470 x 75	2	545.53.472
	Left		2	545.53.473


Supplied with

Set components complete with full-extension frame, front brackets and trays/baskets, incl. damping system SoftStop



Comfort II accessories	Cat No.
Spice rack, silver / Spice boxes (set of 6), green / black lid	545.56.291





- Material: Steel
- Finish: Bright chrome plated / Anthracite
- Version: Bottom mounted guide allows maximum use of storage space, for inside cabinet widths from 112 mm, with soft closing device
- Load capacity: 12 kg (6 kg per shelf)
- Internal carcase depth: Min. 481 mm
- Side panel thickness: 16 or 19 mm

Inside cabinet height mm	Version	Dimension WxDxH	Number of trays	Cat No.
Inside cabinet width min. 112 mm/cabinet width 150 mm				
Min. 540	2-tier	465 x 104 x 37	2	545.61.028
Min. 590	Tower rail		1	545.61.063
Anthracite				
Inside cabinet width min. 112 mm/cabinet width 150 mm				
Min. 540	2 trays	465 x 104 x 37	2	549.24.620
Min. 590	590 Tower holder		1	549.24.633
Min. 590	Baking Tray		1	549.24.643



Cooking Agent



- Material: Steel/plastic
- Finish: Silver powder coated/Icewhite
- Version: Bottom base mounted, full extension with soft closing mechanism
- Load capacity: 16 kg
- Internal carcass width: Min. 310 mm
- Inside carcass depth: Min. 489 mm
- Inside carcass height: Min. 597 mm

Dimension (WxDxH) mm	Cat No.
292 x 510 x 592	549.24.952

Supplied with

Set components complete with knife block, clip-on basket, chopstick holder, implement holder, bottle basket, plastic bins and full extension with integrated soft closing mechanism.


Cleaning Agent



- Material: Steel/plastic
- Finish: Silver powder coated/Icewhite
- Version: Bottom base mounted, single extension with soft closing mechanism
- Load capacity: 12 kg
- Internal carcass width: Min. 289 mm
- Inside carcass depth: Min. 480 mm
- Inside carcass height: Min. 480 mm

Dimension (WxDxH) mm	Cat No.
255 x 465 x 465	545.48.911

Front pull-out



- Material: Steel
- Finish: Runner galvanized, basket bright chrome plated, Icewhite
 - Version: Bottom mounted conceal runner, full extension with SoftStopp
 - Load capacity: 30 kg
 - Internal carcass depth: Min. 500 or 510 mm
 - Side panel thickness: 16 or 19 mm

Front pull-out

Cabinet width	Dimension WxDxH	Cat No.
Inside cabinet width min. 412–418 mm		
450	403 x 491 x 165	540.24.294
Inside cabinet width min. 462–468 mm		
500	453 x 491 x 165	540.24.295
Inside cabinet width min. 562–568 mm		
600	553 x 491 x 165	540.24.297

Packing: 1 set


Internal pull-out

Cabinet width	Dimension WxDxH	Cat No.
Inside cabinet width min. 412–418 mm		
450	377 x 488 x 125	540.27.294
Inside cabinet width min. 462–468 mm		
500	427 x 488 x 125	540.27.295
Inside cabinet width min. 562–568 mm		
600	527 x 488 x 125	540.27.297

Packing: 1 set


Supplied with

Set components complete with runner incl. damper, spacer and basket/tray





Aluminium rail set



- Version: Components can be individually positioned
- Installation: Hook-in elements can be inserted into the wall profile from above or hooked in from below.

- Material: Aluminium
- Finish: Stainless steel effect
- Installation: For screw fixing to the wall
- Supplied with: 2 End caps, 1 connector, 1 set of fixing material

Length mm	Cat No.
600	521.00.006
900	521.00.009
1200	521.00.012

Packing 1pc

Paper roll holder



- Material: Steel
- Colour: Titanium grey
- Installation: For hooking in from below

Dimension (WxDxH) mm	Cat No.
350 x 77 x 46	521.01.510

Packing 1pc

Universal rack



- Material: Steel
- Finish: Titanium grey coloured
- Installation: For hook in rail from below
- Suitable for: Foil rolls up to 330mm length

Dimension (WxDxH) mm	Cat No.
350 x 110 x 300	521.01.511

Packing 1pc

Universal rack



- Material: Steel
- Colour: Titanium grey
- Installation: For hooking in from below
- Storage space: 350x107 mm

Dimension (WxDxH) mm	Cat No.
350 x 110 x 140	521.01.520

Packing 1pc

Universal rack




- Material: Steel
- Colour: Titanium grey
- Installation: For hooking in from below
- Storage space: 350x107 mm

Dimension (WxDxH) mm	Cat No.
350 x 110 x 300	521.01.522

Packing 1pc

Universal shelf with railing



- Material: Steel
- Finish: Titanium grey coloured
- Installation: For plug on rail from above

Dimension (WxDxH) mm	Cat No.
350 x 110 x 200	521.01.530

Packing 1pc

Magnetic knife block



- Material: Steel/plastic
- Finish: Titanium grey coloured/black
- Installation: For hook in rail from below

Dimension (WxDxH) mm	Cat No.
1350 x 45 x 200	521.01.541

Packing 1pc

Cloth rail



- Material: Steel/plastic
- Finish: Titanium grey coloured
- Installation: For hook in rail from below

Dimension (WxDxH) mm	Cat No.
350 x 77 x 46	521.01.571

Packing 1pc

Double hook



- Material: Steel/plastic
- Finish: Titanium grey coloured
- Installation: For hook in rail from below

Dimension (WxDxH) mm	Cat No.
350 x 77 x 46	521.01.590

Packing 1pc

Universal rack



- Material: Steel
- Colour: Titanium grey
- Installation: For hooking in from below
- Storage space: 350x107 mm

Dimension (WxDxH) mm	Cat No.
350 x 110 x 300	521.01.522

Packing 1pc

Universal shelf with railing



- Material: Steel
- Finish: Titanium grey coloured
- Installation: For plug on rail from above

Dimension (WxDxH) mm	Cat No.
350 x 110 x 200	521.01.530

Packing 1pc

Magnetic knife block



- Material: Steel/plastic
- Finish: Titanium grey coloured/black
- Installation: For hook in rail from below

Dimension (WxDxH) mm	Cat No.
1350 x 45 x 200	521.01.541

Packing 1pc

Cloth rail



- Material: Steel/plastic
- Finish: Titanium grey coloured
- Installation: For hook in rail from below

Dimension (WxDxH) mm	Cat No.
350 x 77 x 46	521.01.571

Packing 1pc

Double hook



- Material: Steel/plastic
- Finish: Titanium grey coloured
- Installation: For hook in rail from below

Dimension (WxDxH) mm	Cat No.
350 x 77 x 46	521.01.590

Packing 1pc



iMove INTELLIGENT MOVEMENT

DESIGN DELIVERS PRACTICAL BENEFITS

iMove Icewhite

Description	Dimension	Cat No.
iMove-set single tray icewhite	500 mm	504.68.612
iMove-set single tray icewhite	600 mm	504.68.613
iMove-set double tray icewhite	500 mm	504.68.622
iMove-set double tray icewhite	600 mm	504.68.623



CLIMBER Roller shutter



- Material: MFC (Melamine Faced Chipboard) and toughened glass 4 mm
- Version: With 2 glass shelves 8 mm, e-drive unit and 6 glass slats
- Area of application: For wall unit, with attached hanging brackets and a glass front of climber carcass

Dimension (W x D x H) mm	Glass colour	Cat. No.
900 x 373 x 780	white	561.56.718
	black	561.56.318



Supplied with

Set components complete with carcass with e-drive, glass shelves and glass slats

**A kitchen is like a car:
Its comfort is determined
by its equipment.**

HÄFELE

Head Office and Design Center
Levi Mariano Ave., Bgy. Ususan, Taguig City
Tel.: +632 8-HÄFELE (842-3353)
Fax.: +632 571-3203
E-mail: info@hafele.com.ph

Copyright by Häfele Philippines Inc.
All Rights Reserved 2019
Printed in the Philippines